



101 040 287

cye

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Gerrard M. Carlson et al.

Examiner: Bockelman, Mark

Patent No.: 7,062,323

Group Art Unit: 3766

Issue Date: June 13, 2006

Docket No: 279.329US1

Title: MAXIMUM ATRIAL TRACKING RATE FOR CARDIAC RHYTHM MANAGEMENT SYSTEM

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

ATTN: CERTIFICATE OF CORRECTION BRANCH

We are transmitting herewith the attached:

- ☒ A check in the amount of \$100.00 to cover the Certificate of Correction fee.
- ☒ Request for Certificate of Correction.
- ☒ Certificate of Correction Form - PTO-1050 (in duplicate)
- ☒ A return postcard.

**Certificate**  
JUL 26 2006  
**of Correction**

**Please charge any additional fees or credit overpayment to Deposit Account No. 19-0743.**SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.

Customer No: 21186

By: 

Name: Suneel Arora


Reg. No. 42,267

SA:CMG:eno

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner of Patents and Trademarks, P.O. Box 1450, Alexandria VA 22313-1450, on this 19 day of July 2006.



Name



Signature

JUL 26 2006



Patent 7,062,323

PATENT

IN UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.:	7,062,323	Docket No:	279.329US1
Issue Date:	June 13, 2006	Patentee:	Gerrard M. Carlson et al.
Customer No.:	21186	Confirmation No.:	9642
Title	MAXIMUM ATRIAL TRACKING RATE FOR CARDIAC RHYTHM MANAGEMENT SYSTEM		

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450  
ATTN: CERTIFICATE OF CORRECTION BRANCH

It is requested that a Certificate of Correction be issued correcting printing errors appearing in the above-identified United States patent. Two copies of the text of the Certificate in the suggested form are enclosed.

**Pursuant to 1.20(a), enclosed please find a check in the amount of \$100.00.**

Issuance of the Certificate of Correction would neither expand nor contract the scope of the claims as properly allowed, and re-examination is not required.

The Examiner is authorized to charge any additional fees or credit overpayment to Deposit Account No.19-0743.


07/25/2006 LWONDIM1 00000012 7062323

01 FC:1811


100.00 0P

Respectfully Submitted  
GERRARD M. CARLSON ET AL.  
By their Representatives,  
SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.  
P.O. Box 2938  
Minneapolis, MN 55402  
(612) 373-6900

Date: July 19, 2006

By:   
Suneel Arora  
Reg. No: 42,267  
SA:eno

CERTIFICATE UNDER 37 CFR § 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450, on this 19 day of July 2006

  
Name

  
Signature

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.  
(Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,062,323

Page (1) of 1

DATED : June 13, 2006

INVENTOR(S) : Carlson et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 10, line 52, in Claim 16, delete "tracing" and insert - - tracking - -, therefor.

In column 12, line 26, in Claim 29, after "indicator" delete ",".

In column 12, line 32, in Claim 30, delete "sub interval" and insert - - subinterval - -, therefor.

MAILING ADDRESS OF SENDER:

SCHWEGMAN, LUNDBERG, WOESSNER, & KLUTH, P.A.  
P.O. BOX 2938  
Minneapolis, MN 55402

Atty Docket No: 279.329US1

PATENT NO. 7,062,323

No. of additional copies

➡

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.  
(Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,062,323

Page (1) of 1

DATED : June 13, 2006

INVENTOR(S) : Carlson et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 10, line 52, in Claim 16, delete "tracing" and insert - - tracking - -, therefor.

In column 12, line 26, in Claim 29, after "indicator" delete ",".

In column 12, line 32, in Claim 30, delete "sub interval" and insert - - subinterval - -, therefor.

MAILING ADDRESS OF SENDER:

SCHWEGMAN, LUNDBERG, WOESSNER, & KLUTH, P.A.  
P.O. BOX 2938  
Minneapolis, MN 55402

Atty Docket No: 279.329US1

PATENT NO. 7,062,323

No. of additional copies

➡